

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	11	flag AND (key reset OR key replacement OR key re\$1authentication OR key re\$1validation) AND recovery AND key AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/16 07:44
L3	842	(recovery OR replacement) AND flag AND (key OR certificate OR signature) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/16 07:45
L4	2	secure value AND (database OR data storage OR data center) AND (recovery OR replacement) AND flag AND (key OR certificate OR signature) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/16 08:04
L5	1322	(determine OR determined OR determining) AND (database OR data storage OR data center) AND (recovery OR recovered OR recovering OR replacement OR replaced OR replacing OR generation OR generate OR generated OR generating) AND flag AND (key OR certificate OR signature) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/16 08:05
L6	1240	process AND (determine OR determined OR determining) AND (database OR data storage OR data center) AND (recovery OR recovered OR recovering OR replacement OR replaced OR replacing OR generation OR generate OR generated OR generating) AND flag AND (key OR certificate OR signature) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/16 08:06

## EAST Search History

L7	321	default AND reset AND process AND (determine OR determined OR determining) AND (database OR data storage OR data center) AND (recovery OR recovered OR recovering OR replacement OR replaced OR replacing OR generation OR generate OR generated OR generating) AND flag AND (key OR certificate OR signature) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/16 08:07
L8	109	(administrator OR admin) AND default AND reset AND process AND (determine OR determined OR determining) AND (database OR data storage OR data center) AND (recovery OR recovered OR recovering OR replacement OR replaced OR replacing OR generation OR generate OR generated OR generating) AND flag AND (key OR certificate OR signature) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/16 08:07
S1	0	(713/200.ccls.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/15 16:16
S2	3588	reset AND key AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/15 16:17
S3	426	administrator AND (flag OR parameter) AND (reset OR replacement) AND key AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/15 16:30
S4	471	(determine OR determining OR determined OR check OR checking OR checked) AND (default OR original) AND administrator AND (flag OR parameter) AND (reset OR resetting OR replacement OR replaced OR replacing) AND key AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/15 16:32

## EAST Search History

S5	211	secure AND account AND (determine OR determining OR determined OR check OR checking OR checked) AND (default OR original) AND administrator AND (flag OR parameter) AND (reset OR resetting OR replacement OR replaced OR replacing) AND key AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/15 16:40
S6	8	key recovery AND secure AND account AND (determine OR determining OR determined OR check OR checking OR checked) AND (default OR original) AND administrator AND (flag OR parameter) AND (reset OR resetting OR replacement OR replaced OR replacing) AND key AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/16 07:36